

Manual Como modificar la contraseña de administrador del ZKTime.Net









ZKTime.Net

El **Time.net (Lite/3.0)** es un software para el control de tiempo y asistencia, diseñado para funcionar en conjunto con dispositivos standalone de la marca ZKTeco. Este software se puede administrar con una cuenta de usuario y en ocasiones se llega presentar el detalle que se pierde la contraseña de la misma. En este manual veremos el proceso para conocer o modificar la contraseña de la cuenta de administrador.

Punto importante

Para este proceso es necesario contar con un software de gestión de bases de datos, en este caso se recomienda utilizar el "SQlite Expert Personal"

SQLite Expert Personal

Visualización de la contraseña

Para hacer el proceso del reset de la contraseña, debemos entrar a la ruta de instalación del software <u>ZKTime.Net</u> (*C:\Program Files (x86)\ZKTimeNet*). En esta carpeta localizaremos el archivo de nombre "**ZKTimeNet**" el cual es de tipo de archivo "**Data Base File**"

ZKTimeNet

25/08/2015 02:53 ... Data Base File

Como siguiente paso debemos abrir el programa "SQlite Exper Personal" el cual nos ayudara a poder explorar las tablas que componen la base de datos de nuestro software <u>ZKTime.Net</u>.

Dentro del software nos dirigiremos a la esquina superior derecha, daremos clic en la opción "File", luego seleccionamos la opción "Open Database" y en la ventana emergente, seleccionaremos el archivo de nuestra base de datos.

Open Database		SQLi	te Libra	ry: [internal]	version 3.8.10.2
<u>R</u> eopen Database	Jatabase SQL Data BB Design DDL				
Open <u>D</u> emo Databas	Databases				
Close Data <u>b</u> ase	Database File Name Size	Tables Vie	ews	Indexes	Triggers
Close All Databases					
Edit Registration	Sa Abrir		×		
Attach Database	← → v ↑ □ > Este equipo > Escritorio > info v δ / P Bus	car en info			
Detac <u>h</u> Database	Dirganizar + Nueva carpeta	H • 🔲	0		
Load Extension	🖹 Documentos 💉 ^ Nombre ^ Fecha de modificación Tipo	Tamaño	-		
Unload Extension	E Insigenes * 0 02521 de 2601/0021155 a es Data Este File	2.444 KR			
n.ia	No database pro Policitation pro	2,817 KB	-		
c <u>A</u> n	I NGTECO Faces				
	Properties for database [] News capets (0) POST Rest: Contasofa Time Net Li		-		
	Name OneDrive - Personal				Modified
	Documentos				
	Indigenes Indigenes				
	Constantiate Documentos				
	Escitorio v		_		
	Nombre de archive: [2t/TimeNet.db [Silte du	tabase files (*.db, *.o	lb ~		
	Abit	r Cancel	er		





Al hacer esto, de lado izquierdo aparecerán todas las tablas que contienen la información de nuestra base de datos seleccionada, en este caso buscaremos y seleccionaremos la carpeta de nombre "**sys_user**", luego daremos clic en la pestaña "**Data**" que encontraremos de lado derecho.

SQLite Expert Personal 3.5.83.2503									_	i 🗗 🔀
ile <u>D</u> atabase <u>T</u> able <u>V</u> iew <u>S</u> QL T <u>r</u> ar	nsaction T <u>o</u> ols <u>H</u> elp									
	n 2 🛛 🗛 - 8 8 8		8 😪 🗖 🗉 🕢 🗞	B 2 🖂 B 🔽						
Database: ZKTimeNet Table: main.svs us	er File: C:\Users\Mr. Edd Freeman\A	AppData\Roaming\Skype\My S	kype Received Files\ZKT	imeNet.db			SOLi	te Library: [int	ernall version 3	3.8.10.2
att workstate										
att_zone										_
hr_attendanceRule	Databases									
- m hr_company		11 N			C '	-				
hr_delete_employee	Database	File Name	5115 NA 81		Size	111000	ables views	Indexes	Triggers	â II
- III hr_department	main	C:\Users\M	r. Edd Freeman\AppData	\Roaming\Skype\My Skype Received Files\ZKTi	nelNet	114688	56	0	9 0	
- hr_employee	temp						0	0	0 0	
hr_employee_group										
- m hr_group										
hr_groupItem										
hr_holiday_details										
hr_payclass										~
hr_paycode	Status for Imain] databaser C	opported								
hr_template	Status for [main] database. Co	onnected								
message	Properties for database (main	1								
message2entity										
Pushqueue	Name			Value					Modified	
ReportTemplate	> application_id			0						
salary_export	auto_vacuum			none						
salary_software	automatic_index			on						-
Sys_Config	busy_timeout			3000						
sys_datafilter	cache_size			2000						
sys_log	case_sensitive_like			off						
sys_menu	checkpoint_fullfsync			off						
sys_privilege	collation_list			[RTRIM], [NOCASE], [BINARY]						
sys_role	compile_options			[ENABLE_FTS3], [ENABLE_FTS3_PARI	NTHESIS], [ENABLE_RT	REE], [SOUNDEX], [SYSTEM_M	AI 📃	
sys_role_udtanter	encoding			UTF-8						
III svs user	foreign_keys			on						
SVS_USET FOLE	freelist count			0						v
zkproto control queue	Apply X Car	ncel				- 🔒 o	heck	Vacuum	Reindex	
zkproto sync queue										

A continuación, aparecerá la información del usuario administrador del <u>ZKTime.Net</u>, aquí veremos la contraseña actual que tiene dicho administrador, podemos usar esta para ingresar al software o también podremos modificar la contraseña directamente desde el SQlite Expert Personal.

🗞 SQLite Expert Professional 5.4 (r.64)	×
File View Database Import/Export Object SQL Transaction Scripting Tools Help	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~
Database: ZKTimeNet Table: sys_user File: Cx/Program Files (x66)/ZKTimeNet.db SQLite library: sqlite3.dll 3.40.1 [FTS3 FTS4 FTS5 R	(REE ICU)
hr_biotemplate ^ Database Extensions Schema Data DDL Design SQL builder SQL Scripting	
hr_delete_employee	
hr_department rowid id username user_pwd ser_email remark	1
hr_employee group Click here broken define a filte	
hr_employee_group	
hr_group	
hr.grouphen	
in r-holiday_details	
n r payciass	
n r paycode	
in templet	
in mesage	
In resultation in the second	
Postportangita	
Report Ampoint	
sources and sources an	
Successful Config	
sys datafilter	
sys log	
sys, menu	
sys_privilege	
sys_role	
sys_role_datafilter	
sys_role_rights	
sys_user	
sys_user_role	
zkproto_control_queue (Filter is Empty>	mize
zkproto_sync_queue v	
Ready Record 1 of 1	





Cambio de la contraseña

Si deseamos cambiar la contraseña, simplemente daremos clic en el botón con los "**3 puntos**". En la ventana emergente <u>borraremos la contraseña actual y allí mismo escribiremos la nueva contraseña</u> a utilizar y finalizaremos con el botón "**OK**"

In State Expert Professional 54 (dol) File View Database Import/Expr0 Object SQL Transaction Scripting Tools Help Database Zimmelt Database Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Database Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Database Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Extensions Scheme Dra Dol. Design SQL builder SQL Scripting In Choistemplate Discheme Dra Dol. Design SQL builder SQL Scrip		
File View Database Import/Expert Object SQL Transaction Scripting Tools Help Database ZXImeNet Toble sys_user File CVPergram Files (66)/ZXImeNet3.0/Z		Va SQLite Expert Professional 5.4 (x64)
Disbase ZVIneket Table cy, urr File CVPorgam File (b8)/ZVIneket3.0/ZVIn		File View Database Import/Export Object SQL Transaction Scripting Tools Help
Detabase ZLImeNet. Table sys.user File COPogram File (SB)/ZLImeNet3.0.ZLImeNet4.db I ruc company I ruc delese analysis Remployee		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Implotemplate Implotemplate Implotemplate		Database: ZKTimeNet Table: sys_user File: C:\Program Files (x86)\ZKTimeNet3.0\ZKTimeNet.db
Image:		hr_biotemplate A Database Extensions Schema Data DDL Design SQL builder SQL Scripting
<pre>httdetsemploye httdespring httdesprin</pre>		hr company
<pre>int_department int_demploye_group int_group tem int_group tem int_group tem int_broked vetails int_group tem int_broked vetails int_group tem int_group tem int_group</pre>		h delete employee
Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image: propriouse Image:		h denational terms
Link here to define a line h reprojove, sproph h regroup len h rolidev detais		h employee
<pre>2 2 admin @ dmin @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @</pre>		The ampliques group
<pre>in</pre>		b aronin m m m
<pre>in globaletin in globalet</pre>		
S Click Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help With With With With With With With With		
Butthere uneque Image: Ima		n nolidav details
<pre>intermediate intermediate intermediate</pre>		
<pre>% extended and a set of the all of the set of the set of the all of the set of the set of the all of the set of the</pre>		
<pre>intermed in the second se</pre>	🍢 Text Editor: user_pwd	
Note	admin	Lead Adminitized Lead
Image: Control of the second secon		Save Save
10 10 <td< th=""><td></td><td>Class Class</td></td<>		Class Class
3 wer,prot 3.eer COT NML (CL, NO) 3 wer,prot 3.eer COT NML (CL, NO) Werd 11 wer,prot 2.eer COT NML (CL, NO) Werd word Werd word Werd 11 wer,prot 3.eer COT NML (CL, NO) Werd 11 wer,prot 3.eer COT NML (CL, NO) Werd word Werd word Solar COT NML (CL, NO) Werd 11 wer,prot 3.eer COT NML (CL, NO) Werd word Werd word Werd word Solar COT NML (CL, NO) Werd 11 wer,prot 3.eer COT NML (CL, NO) Werd word Werd word Werd word Solar Cot NML (CL, NO) Werd Word No, NO Solar Cot NML (CL, NO) Werd Word No, NO Solar Cot NML (CL, NO) Werd Word No, NO Solar Cot NML (CL, NO) Werd Word No, NO Werd Word Word		
to me and the second se		
to uncered to the total of the		
be we get the former of the system of the sy		
b we we det i we we we det i we we we det i we we det i we we we we we we we det i we		
to we we down of the to the th		
16 Wordwarp Wordw		
bit werged date bit werged date CP: NAM COL IG		⊠Word wrap 2 Word wrap
SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help Image: SQLite Expert Professional 5.4 (x64) Database Import/Export Object SQL Transaction Scripting Tools Help Image: SQLite Expert Professional 5.4 (x64) Image: SQL Scripting Tools Help	1: 6 user_pwd	Schars CAPS NUM SCRL INS a Modified 1:11 user_pwid 0 chars CAPS NUM SCRL INS a Modified 1:8 user_pwid 7 chars CAPS NUM SCRL INS a
SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help Database:		
SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help Image: SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help Image: SQLite Expert Professional 5.4 (x64) Image: SQLite Expert Professional 5.4 (x64) Image: SQL Transaction Scripting Tools Help Image: SQL Tools Help Image: SQL Tools Help Image: SQL Tools Help		ter en la construction de la construction d
SQLite Expert Professional 5.4 (x64) File View Database Import/Export Object SQL Transaction Scripting Tools Help Image: SQLite Expert Professional 5.4 (x64) Image: SQLite Expert Professional 5.4 (
File View Database Import/Export Object SQL Transaction Scripting Tools Help		SQLite Expert Professional 5.4 (x64)
Interview Doublack importance Sector Sec		File View Database Import/Evport Object SOL Transaction Scripting Tools Help
Database: ZKTimeNet Table: sys_user File: C:\Program Files (x86)\ZKTimeNet3.0\ZKTimeNet3.		The view balabase import correct size managed on scripping tools help
Database: ZKTimeNet Table: sys_user File: C\Program Files (x86)\ZKTimeNet3.0\ZKTimeNet3.0\ZKTimeNet3.0\ZKTimeNet4.db att_workstate Database hr_attendanceRule hr_attendanceRule hr_biotemplate rowid hr_delete_employee rowid hr_department rowid hr_group Admin12		
att_workstate Database Extensions Schema Data DL Design SQL Scripting hr_attendanceRule hr_biotemplate hr_company hr_company id username user_pwd user_email remark hr_delete_employee hr_department hr_employee Admin12 Immediate Immediate hr_employee hr_group Immediate Immediate Immediate Immediate		Database: ZKTimeNet Table: sys_user File: C:\Program Files (x86)\ZKTimeNet3.0\ZKTimeNet.db
att_zone hr_attendanceRule hr_biotemplate hr_company hr_department hr_department hr_employee hr_group		att_workstate
hr_attendanceRule hr_biotemplate hr_company hr_delete_employee hr_employee hr_employee hr_employee hr_group		att_zone
hr_employee hr_enployee hr_group hr_group		hr_attendanceRule
hr_company hr_delete_employee hr_department hr_employee hr_employee hr_employee hr_group		hr_biotemplate rowid id username user_pwd user_email remark
hr_delete_employee hr_department hr_employee hr_employee_group hr_group		hr_company Click here to define a filter
hr_employee hr_employee_group hr_group		i hr_delete_employee
hr_employee hr_employee_group hr_group		in hr_department
hr_employee_group		hr_employee
h_group		H hr_employee_group
		n_group

Por último, solo cerramos el <u>SQLite Expert Professional</u> y ahora al ejecutar el <u>ZKTime.Net</u> podremos ingresar con la nueva contraseña asignada al usuario.