

Safe Work Instruction (SWI) Soap Dispenser Refill

SECTION 1: SAFE WORK INSTRUCTION DETAILS

Task and Scope

This SWI is applicable to all Orange Sky personnel and describes safe work methods to be followed when [insert scope]

Hazards and risks

Manual handling

Equipment required

Soft care LUX 2 in 1 soap

SECTION 2: PERSONAL PROTECTIVE EQUIPMENT THAT MUST BE WORN WHEN PERFORMING THIS TASK



Closed in shoes

SECTION 3: SAFE WORK INSTRUCTION

STE

NO.

TASK/ACTIVITY DESCRIPTION

CONTROL MEASURES AND PRECAUTIONS

Replacing soap in an OSA Shower and Hybrid vehicle

Ensure vehicle is parked in a safe location away from hazards.

- Do not work inside the vehicle if it is on a road or in a location that is considered unsafe
- Ensure that the vehicle is in 'PARK' and that the handbrake is firmly engaged
- Ensure that the vehicle is parked on a level surface

Use the control panel on the passenger seat to activate the interior lights.

Open the door of the vehicle and remove the containers or chairs and place in a safe location.

 Safe lifting procedures, bending knees using two people for lifting over 15kgs

Document Number: Revision Number:

OSA-AUS-AHQ-RMG-SWI-xxx Issued Date:

Draft 0.1 Page Number:



Safe Work Instruction (SWI) Soap Dispenser Refill

SECTION 3: SAFE WORK INSTRUCTION

NO.

TASK/ACTIVITY DESCRIPTION

CONTROL MEASURES AND PRECAUTIONS

Do not force the face to lift off to avoid damage

Lift the face of the soap dispenser from the bottom at its centre until the top unlatches and folds down.



Dispose of empty soap bag in general waste

Remove the empty soap bag by pulling it straight out.



Remove the section of packaging as shown and align nozzle as shown.

Dispose of waste in general waste



Document Number: Revision Number:

OSA-AUS-AHQ-RMG-SWI-xxx Issued Date: Draft 0.1

Page Number:

Insert date 2 of 3



Safe Work Instruction (SWI) Soap Dispenser Refill

SECTION 3: SAFE WORK INSTRUCTION


NO.

TASK/ACTIVITY DESCRIPTION

CONTROL MEASURES AND PRECAUTIONS

If not aligned correctly the dispenser will not work

Align the nozzle as shown and press in.



Close the dispenser and return all items into the vehicle.

Safe lifting procedures, bending knees using two people for lifting over 15kgs

SECTION 4: SAFE WORK INSTRUCTION APPROVAL

Approved by NAME POSITION

Document Number: **Revision Number:**

OSA-AUS-AHQ-RMG-SWI-xxx Issued Date: Draft 0.1

Page Number:

Insert date 3 of 3