Version 6.0.5 Release April 26, 2024

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.5_20240423.iso | 05ffb77c5a5a6750b3a68b0b13aff71d |
| Network Boot | Nodegrid_NetBoot_v6.0.5_20240423.tar.gz | 6cc5ba8c015705246d871c6d98c4f722 |
| SNMP MIB | Nodegrid_MIB_v6.0.5_20240423.zip | bf74b9e5e0f22e1f78b48d40951b6073 |

4. New Features and Enhancements

Add MTU configuration to Ethernet network connection UI

5. Bug Fixes

- Fixed failover between multiple IPSec tunnels
- Fixed default FRR configuration overwriting "Enable IPv4 IP Forward" setting
- Fixed manually restarting NetworkManager process
- Disabled some ZPE Cloud processes that ran in the background when ZPE Cloud is disabled
- Fixed missing SFP statistics
- Fixed issues with export/import settings on managed device types
- Fixed issues with Verizon APN registration
- Fixed diagnostic data failing when LDAP authentication server is configured
- Fixed usb_serial (FTDI) devices being wrongly detected as usb_sensor. Air Flow/Temperature and Dust devices will not be automatically detected and need to be manually configured

6. Known Issues

 ZPE Cloud: On devices with TPM 1.2, if the "Remote Access" function is disabled, some ZPE Cloud functions such as "Upload Backup" will not work

Version 6.0.4 Release April 3, 2024

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.4_20240331.iso | 157f1bb3765fad50e4bd16720c8dd0ab |
| Network Boot | Nodegrid_NetBoot_v6.0.4_20240331.tar.gz | 59c8f8458816407fd790c37bfbc3e05b |
| SNMP MIB | Nodegrid_MIB_v6.0.4_20240331.zip | 6f22683695d47511510d26553f406983 |

4. Security Fixes

- Upgraded lighttpd to v1.4.74 (CVE-2023-44487)
- Upgraded nghttp2 to v1.60.0 (CVE-2023-44487)
- Upgraded Firefox to v124.0.1 (CVE-2024-29943)
- Upgraded bind to v9.18.24 (CVE-2023-50387)

5. New Features and Enhancements

- Support for IP Passthrough for WiFi interfaces
- Support for "COM Port Control" protocol (RFC-2217)
- Enable USB Attached SCSI (UAS) support in kernel

6. Bug Fixes

- Fixed PPPoE connections not working
- Erase BIOS/bootloader password when upgrading with "format partitions" option
- Fixed issues with IP Passthrough
- Fixed LLDP sometimes not starting in switch interfaces after boot
- Fixed segmentation fault error on manual restart of Network Manager process
- Added 13388.mcs ATT APN to APNs DB
- Fixed failure to read wireless modem information in some cases
- Fixed misleading events 160 and 161 generated on boot ("Search is unavailable" and "Search has been restored")
- Do not restart network connections upon reconfiguration of another connection
- Fixed non-admin users unable to access MKS session of VM
- Fixed WAN/LAN interfaces information in Access :: Overview page

Version 6.0.3 Release February 23, 2024

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.3_20240222.iso | 93f68e5c99b7eae1eb3b35dcabf3cbeb |
| Network Boot | Nodegrid_NetBoot_v6.0.3_20240222.tar.gz | d964e662aa2d485209a55e36ad26a18c |
| SNMP MIB | Nodegrid_MIB_v6.0.3_20240222.zip | a6c16addcfed8435779327b41d914e63 |

4. Security Fixes

- Upgraded linux-kernel to v6.1.75 (CVE-2024-0646, CVE-2024-0565, CVE-2023-5717)
- Upgraded xserver-xorg to v21.1.11 and xorgproto to v2023.2 (CVE-2023-6816)
- Upgraded libuv to v1.48.0 (CVE-2024-24806)
- Patched FreeRDP v2.11.0 (CVE-2024-22211)

5. New Features and Enhancements

- The VRRP keepalive file is now covered by Save Settings
- Added support to Static LAG for NSR Compute module's backplane ports

6. Bug Fixes

- Upgraded InnoDisk SSD microcode from version S17411i to version S21804i, fixing issues in the handling of block information
- Fixed the less and more commands being unable to exit or navigate from a shell session started by CLI
- Fixed editing *IPsec Tunnel* validation for pre-shared-key
- Added Dashboard logs size control when Search Engine is irresponsive
- Fixed OCP Menu opening on non-USB serial ports
- Fixed API toolkit/files/execute issue when invalid executable is requested
- PDU Austin Hughes: Fixed managing multiple outlets using SNMP protocol
- ZPE Cloud:
 - Resolved supervisor errors causing false positive logs

Version 6.0.2 Release January 26, 2024

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.2_20240125.iso | ef9067f92f42b9669b50aed66464f0c3 |
| Network Boot | Nodegrid_NetBoot_v6.0.2_20240125.tar.gz | aa9ae0f6ff9cbf7daaabd22f32582c89 |
| SNMP MIB | Nodegrid_MIB_v6.0.2_20240125.zip | 23e3c102b847e9a5e0453e0e4ee81dde |

4. Security Fixes

- Upgraded OpenSSH to v9.6p1 (CVE-2023-51385, CVE-2023-48795, CVE-2023-51384)
- Upgraded Apache2 to v2.4.58 (CVE-2023-31122, CVE-2023-43622)
- Upgraded gatzip to v1.1.2 (CVE-2022-36369)
- Upgraded dnsmasg to v2.89 (CVE-2022-0934, CVE-2023-28450)
- Upgraded libmodbus to v3.1.10 (CVE-2022-0367)
- Upgraded xserver-xorg to v21.1.9 (CVE-2023-5367, CVE-2023-5574)
- Upgraded sqlite to v3.44.2 (CVE-2023-7104)
- Upgraded nghttp2 to v1.57.0 (CVE-2023-44487)
- Upgraded libx11 to v1.8.7 (CVE-2023-43787)
- Upgraded ffmpeg v6.1 (CVE-2023-47470)
- Upgraded libsndfile1 to v1.2.2 (CVE-2022-33065)
- Patched linux-kernel v6.1.57 (CVE-2023-5178)
- Patched grub v2.06 (CVE-2023-4692)
- Patched qtbase v5.15 (CVE-2023-51714)

5. New Features and Enhancements

- Additional support for locking user accounts after failed login attempts
- Allow disabling console access to the Nodegrid device
- Support for IPSec with X.509 certificates
- New table to manage system certificates on Security :: Certificates
- LLDP support for bridge connections

6. Bug Fixes

- Fixed LTE Modem not connecting when using Verizon SIM card
- Fixed creation of bridge between one ethernet interface and one VLAN over bonding connection
- Fixed some API queries for DHCP returning error 500
- Fixed API endpoint system/toolkit/files/execute failing to execute CLI commands
- Generate event device up/down after reconfiguration of mode from on-demand to enabled

7. Known Issues

• ZPE Cloud: After a system boot, the first application of a profile fails if "File Encryption" or "File Protection" is used

Version 6.0.1 Release December 20, 2023

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.1_20231214.iso | 5a88310e942dbbff771b6c4fc77026c2 |
| Network Boot | Nodegrid_NetBoot_v6.0.1_20231214.tar.gz | ceeb4c1c6d969ee74ac171bfebd81218 |
| SNMP MIB | Nodegrid_MIB_v6.0.1_20231214.zip | 4fcbcf31e15db1efcc25031ad8ec3f28 |

4. Security Fixes

- Upgraded FRR to v9.1 (CVE-2023-38406, CVE-2023-41361, CVE-2023-41360, CVE-2022-37032, CVE-2023-41359, CVE-2023-3748, CVE-2023-38407, CVE-2023-47235, CVE-2023-47234, CVE-2023-41909, CVE-2023-38802, CVE-2023-41358)
- Upgraded OpenVPN to v2.6.8 (CVE-2023-46850)
- Upgraded perl to v5.38.2 and perl-cross to v1.5.2 (CVE-2023-47100)
- Upgraded vim to v9.0.2130 (CVE-2023-5535)
- Upgraded Firefox to v121.0b5 (CVE-2023-49060)
- Upgraded binutils to v2.41 (CVE-2023-25584, CVE-2022-44840, CVE-2022-45703, CVE-2022-47673, CVE-2022-47695, CVE-2022-47696)

5. Bug Fixes

- Fixed problems resulting from incomplete installation in some Nodegrid
 Managers (VMs) due to network card not recognized in early installation process
- Fixed USB sensor devices not being updated correctly when unplugging from a USB hub
- Fixed running a playbook via API in Central management
- Fixed "Interface" in VLAN connection being read-only
- Fixed LLDP settings being ignored when creating a bond interface
- Improved device reconnection to ZPE Cloud in case of network changes
- ZPE Cloud: Fixed IP address and Interface information not displayed on Device Details

Version 6.0.0 Beta Release November 30, 2023

1. Supported Products

- Nodegrid Manager
- Nodegrid Serial Console
- Nodegrid Bold SR
- Nodegrid Gate SR

- Nodegrid Link SR
- Nodegrid Net SR
- Nodegrid Hive SR
- Nodegrid Mini SR

2. Upgrading Instructions

Upgrade methods from Web Interface, CLI, USB, and Network Boot are supported. UEFI mode and Secure Boot must be disabled prior to downgrading to v5.0 or older. Upgrade from v4.x versions is only supported starting at v4.2.4. Upgrade from v3 versions is only supported for NSC devices at v3.2.54 and will erase existing data in /var directory.

3. Software Components Information

| Component | Filename | MD5 Checksum |
|--------------|---|----------------------------------|
| Software ISO | Nodegrid_Platform_v6.0.0_20231128.iso | 0843dac84c25c15b921b91c1302cc346 |
| Network Boot | Nodegrid_NetBoot_v6.0.0_20231128.tar.gz | db90dd2e6d2beab56e8a44a56f785097 |
| SNMP MIB | Nodegrid_MIB_v6.0.0_20231128.zip | 83847dee6331d0aac042b7954d858d6d |

4. Breaking Changes

- Remote access to cluster devices will only work between cluster nodes with Nodegrid OS version v6.0.0 or later
- Removed packages: python2, polkit, cups

5. Security Fixes

- Upgraded hundreds of base open source packages, reducing outstanding CVEs by 304 (4 Low, 136 Medium, 164 High)
- Main open source package versions:
 - Linux kernel 6.1.57
 - OpenSSL 3.0.12
 - OpenSSH 9.3p2
 - Python 3.10.13
 - Apache 2.4.56
 - Docker 24.0.6-ce

- Firefox 119.0b4
- OpenSearch 1.2.4
- NetworkManager 1.32.8
- NodeJS 16.18.1
- Ansible 2.9.18
- Libreswan 4.12

6. New Features and Enhancements

- Remote cluster device access now proxies through cluster peers (including multicluster), being able to reach isolated subnetworks
- Integrated UI support for FRR configuration
- Improved UI for wireless modem diagnostics, adding capability to run advanced troubleshooting commands from the UI
- System will drop old sessions and generate events in case the session table becomes full, preventing lock-out
- Masking of possibly sensitive data on Diagnostic Data is now optional

- User is automatically logged-out of WebUI when session expires
- Added progress bar and improved disk space check for file downloads greater than 1MB from "Local Computer", such as in software upgrade
- Any interface is now selectable on Firewall Rule UI
- Support for changing Docker data-root location to a different disk or partition in Security :: Services
- Improved "Save Settings" UI to show a list of available backups. Backups are now also accessible via File Manager