


Sanborn Map® Abbreviations

“Linking technology with tradition”®



Abbreviation

Meaning

A	Automobile (usually designates the location of a garage)
A in B	Automobile located in basement
A S	Automatic sprinkler
Abv	Above
ACS	Automatic chemical sprinkler
AFA	Automatic fire alarm
Agr	Agricultural
Appts	Apparatus
Apts	Apartments
Asb Cl	Asbestos clad
Att'd	Attended
Aud'it'm	Auditorium
Auto Ho	Automobile house, or garage
B	Basement, boiler or occasionally brick
B&S	Boots and shoes
BPOE	Benevolent & Protective Order of Elks
B Sm	Blacksmith
B'ld g	Building
B'lr	Boiler
B's't	Basement
Bak'y	Bakery
Balc	Balcony
Bap	Baptist
Bbl	Barrel
Bbbs	Barrels
BE	Brick enclosed elevator
Bill'ds	Billiards
Bl Sm	Blacksmith
Blk Sm	Blacksmith
Bst	Basement
C B	Cement brick or concrete block construction
C Br	Concrete brick or cement block construction
Cap'cy	Capacity
Carp'tr	Carpenter
CBET	Concrete enclosed elevator with traps
Chem	Chemical
Chinaw	Chinaware or porcelain
Chine	Chinese
Cl	Clad
Clo	Clothing
Co	Company
Comp	Composition construction (i.e. stucco) or compressor
Conc	Concrete
Conf'y	Confectionary (candy store)
Confec'y	Confectionary (candy store)
Constr'n	Construction
Corp'n	Corporation
D	Dwelling
DH	Double (fire) hydrant
DG	Dry goods
Drs	Doctor's office
Dwg	Dwelling
E	Open elevator
E Fl	Each Floor
El	Electric
Elec	Electrician
Eng	Engine
Ent	Entertainment
Episc'l	Episcopal
ESC	Elevator with self-closing traps
ET	Elevator with traps
Exch	Telephone exchange
Expr	Express (as used to designate a delivery service)
F	Flat (as used to designate a delivery service)
FA	Fire alarm
FE	Fire escape
F Pump	Fire pump
Fill'g Sta	Filling station, or gas station
Fl	Floor
Fr Attic	Frame constructed attic
Frat	Fraternity
Fur	Furnishings
Furn'g	Furnishings
Furne	Furniture
GAR	Grand Army of the Republic
GT	Gasoline tank
Gal	Gallery
Gall	Gallery
Gall'y	Gallery
Gen'l	General (as used to designate a general store)
Gents	Gentlemen's
Greas'g	Greasing
Gro	Grocery or groceries

Abbreviation

Meaning

HPFS	High pressure fire service
H'dw	Hardware
Hack	Hackney or delivery service
Hardw	Hardware
Ho	Hotel or house (as used to designate a warehouse)
Htr	Heater
Hyd	Hydrant
ICRR	Illinois Central Railroad
Imp	Implements
Ins	Insurance
Insts	Instruments
Ir Cl	Iron clad
K of C	Knights of Columbus
Lab	Laboratory
Lodg'g	Lodging
Luth	Lutheran
Luth'n	Lutheran
ME	Methodist Episcopal
Mach'y	Machinery
Mak'r	Maker
Man'f'y	Manufactory or factory
Mdse	Merchandise
Mfy	Manufactory or factory
Mill'y	Millinery
Mkg	Making
Mo	Motor
NS	Not sprinklered
OU	Open under
Off	Office
PO	Post office
Paint'g	Painting
Pat Med	Patent medicines
Plumb'g	Plumbing
Print'g	Printing
QH	Quadruple (fire) hydrant
RC	Roman Catholic
R'f	Roof
R'm	Room
Rep	Repair
Rep'g	Repairing
Repos'ry	Repository
Rest'r't	Restaurant
Rf	Roof
Rm	Room
S	Store
SA	Spark arrestor
S Vac	Store portion of building is vacant
Sal	Saloon
Sky'ts	Skylights
Sm	Smith, as in gunsmith or blacksmith
Sm Ho	Smokehouse
Sp'kTrs	Sprinklers
St'ge	Storage
St'y	Story
Sta	Station
Stat'y	Stationery
TH	Triple (fire) hydrant
Tel	Telephone
Tenem'ts	Tenements
TESC	Tile enclosed elevator with self-closing traps
Tinw	Tinware
Trimm'g	Trimming
U	Upright
Up	Upright
VP	Vertical pipe
Vac	Vacant
Ven'd	Veneered
Ven'r'd	Veneered
W	Ware, as in warehouse or wareroom
WC	Water closet or toilet
WG	Wire glass skylights
W Ho	Warehouse
WPA	Works Progress Administration
W'ks	Works
Whol	Wholesale
Wkg	Working
Woodwkg	Woodworking

Sanborn Map® Legend

"Linking technology with tradition"®



TILE 1st BRICK 1st PYROBAR 1st	Fire proof construction (OR FIRE RESISTIVE CONST'N)	C.B. & BR. CONST'N ∞	Mixed construction of C.B. and brick with one wall of solid brick.	<p>MANSARD ROOF DOTS REPRESENT OPENINGS, STEMS INDICATE STORIES, COUNTING FROM LEFT TO RIGHT, LOOKING TOWARD BUILDING</p>	Window opening in first story.
ADOBE	Adobe building	C.B. & BR. CONST'N (OR FACE BR.)	Mixed construction of C.B. and brick with one wall faced with 4" brick.		Window openings in second and third stories.
HEIGHT OF BUILDING IN FEET FROM GROUND TO ROOF LINE 5'-7'	Stone building	C.B. & BR. CONST'N	Mixed construction of C.B. and brick throughout.		Window openings in second, fourth stories.
(C.B.R.)	Concrete, lime, cinder or cement brick				Windows with wired glass.
(C.B.)	Hollow concrete or cement block const'n			Windows with iron or tin clad shutters.	
(CONC.)	Concrete or reinforced concrete const'n			Window openings tenth to twenty-second stories	
(TILE)	Tile building	6" W/PIPE	Water pipes and size in inches.	E Open elevator.	
NUMBER OF STORIES 4	Brick building with frame cornice	6" W/PIPE (PRIVATE)	Water pipes of private supply	FE Frame enclosed elevator.	
TWO STORIES AND BSMT CORR. POSITION ROOF 2B	Brick building with stone front	2 D 6	House numbers shown nearest to buildings are official or actually up on buildings.	ET Frame enclosed elevator with traps.	
SHINGLE ROOF X	Brick building with frame side (DIVIDED BY FRAME PARTITION)	4 8 16	Old house numbers shown furthest from buildings.	ESC Frame enclosed elevator with self closing traps.	
(VEN'D)	Brick veneered building			CBET Concrete block enclosed elevator with traps.	
BRICK 1st	Brick and frame building			TESC Tile enclosed elevator with self closing traps.	
FRAME, BRICK LINED	Frame building, brick lined			BE Brick enclosed elevator with wired glass door.	
F = FLAT S = STORE	Frame building, metal clad				
D = DWELLING	Frame building				
A in B = AUTO. IN BSMT	Iron building				
LOFT	Tenant building occupied by various manufacturing or occupancies				
(ASB.CL.)	Frame building covered with asbestos				
NON COMBUSTIBLE ROOF COVERING OF METAL SLATE, TILE OR ASBESTOS SHINGLES O	Brick building with brick or metal cornice				
SKYLIGHT LIGHTING TOP STORY ONLY	Fire wall 6 inches above roof				
SKYLIGHT LIGHTING THREE STORIES 3	Fire wall 12 inches above roof				
W.G. WIRED GLASS SKYLIGHT	Fire wall 18 inches above roof				
	Fire wall 36 inches above roof				
	Fire wall 48 inches above roof				
	Figures 8,12,16 indicate thickness of wall in inches				
	Wall without opening and size in inches				
	Wall with openings on floors as designated				
	Opening with single iron or tin clad door				
	Opening with double iron or tin clad doors				
	Opening with standard fire doors				
	Openings with wired glass doors				
W.T. WATER TANK					
BRICK 1st	Drive or passage way				
	Stable				
A.	Auto. (House or private garage)				
(C.B.)	Solid brick with interior walls of C.B. or C.B. and brick mixed				
(C.B. & BR.)					

FP-1962 (conc.) A-1-a	A fire-resistive building built in 1962 with concrete walls and reinforced concrete frame, floors and roof.	IR-CHL	Block number.	IR-CH.S.A.	Iron chimney (WITH SPARK ARRESTOR)
FPX-1962 (METAL PANELS) E-2-b NONCOMB. CEILING	A fire-resistive building built in 1962 with metal panel walls, indirectly protected steel frame, concrete floors and roof on metal lath, noncombustible ceilings.	IR-CH.S.A.	Vertical pipe or stand pipe.	15	Ground elevation
NC-1962 (C.B.) H-2-d	A noncombustible building built in 1962 with concrete block walls; unprotected steel columns and beams; concrete floors on metal lath and steel deck roof.	U.P.B.	Automatic fire alarm.	G.T.	Vertical steam boiler
		AS	Independent electric plant.	(O.U.)	Open under
		ACS	Automatic sprinklers.	(S.F.C.)	Siamese fire dept. connection
		AS	Autormc. chemical sprinklers.	(S.F.C.)	Single fire dept. connection.
		AS	Automatic sprinklers in part of building only. (NOTE UNDER SYMBOL INDICATES PROTECTED PORTION OF BUILDING)		
		1st ONLY	Not sprinklered.		
		NS	Outside vertical pipe on fire escape.		
		FA	Fire alarm box.		
		●	Single hydrant.		
		D.H.	Double hydrant.		
		T.H.	Triple hydrant.		
		Q.H.	Quadruple hydrant of the "High Pressure Fire Service."		
		H.P.F.S.	Fire alarm box of the "High Pressure Fire Service"		
		FA	Water pipes of the "High Pressure Fire Service"		
		H.P.F.S.	Water pipes and hydrants of the "High Pressure Fire Service" as shown on key map.		

24	Reference to adjoining page.
+	Fire engine house, as shown on key map.
●	Fire pump.
(36)	Under page number refers to corresponding page of previous edition.

CODING OF STRUCTURAL UNITS FOR FIREPROOF AND NON-COMBUSTIBLE BUILDINGS

FRAMING		FLOORS		ROOF	
CODE	STRUCTURAL UNIT	CODE	STRUCTURAL UNIT	CODE	STRUCTURAL UNIT
A.	Reinforced Concrete Frame.	1.	Reinforced Concrete.	a.	Reinforced Concrete.
B.	Reinforced Concrete Joists, Columns, Beams, Trusses, Arches, Masonry Piers.		Reinforced Concrete with Masonry Units.		Reinforced Concrete with Masonry Units.
C.	Protected Steel Frame.		Pre-cast Concrete or Gypsum Slabs or Planks.		Reinforced Gypsum Concrete, Pre-cast Concrete or Gypsum Slabs or Planks.
D.	Individually Protected Steel Joists, Columns, Beams, Trusses, Arches.	2.	Concrete on Metal Lath, Incombustible Form Boards, Paper-backed Wire Fabric, Steel Deck, and Cellular, Ribbed or Corrugated Steel Units.	b.	Concrete or Gypsum on Metal Lath, Incombustible Form Boards, Paper-backed Wire Fabric, Steel Deck, and Cellular, Ribbed or Corrugated Steel Units.
E.	Indirectly Protected Steel Frame.				Concrete or Gypsum on Metal Lath, Incombustible Form Boards, Paper-backed Wire Fabric, Steel Deck, and Cellular, Ribbed or Corrugated Steel Units.
F.	Indirectly Protected Steel Joists, Columns, Beams, Trusses, Arches.	3.	Open Steel Deck or Grating.	c.	Incombustible Composition Boards with or without Insulation.
G.	Unprotected Steel Frame.				Masonry or Metal Tiles.
H.	Unprotected Steel Joists, Columns, Beams, Trusses, Arches.			d.	Steel Deck, Corrugated Metal or Asbestos Protected Metal with or without Insulation.
O.	Masonry Bearing Walls.				

R	RESIDENTIAL	M	MANUFACTURING
RT	RESIDENTIAL-TRANSIENT	P	PUBLIC OR INSTITUTIONAL
C	COMMERCIAL	U	UTILITY
W	WAREHOUSE	T	TRANSPORTATION

NUMERICAL PREFIX INDICATES THE NUMBER OF ESTABLISHMENTS IN EACH CATEGORY

The coding for framing, floor and roof structural units as shown above is used in describing the construction of fire-resistive buildings. In addition, reports for fire-resistive buildings will show the date built and wall construction when other than brick.

FP buildings have masonry floors and roof; concrete and/or directly or indirectly protected steel framing; and clay brick, stone or poured concrete walls.

FPX buildings are FP buildings with interior walls such as concrete block, cement brick, metal or glass panels, etc.

NC buildings have unprotected steel framing and fire-resistive but non-masonry floors and roof.